










MEM Bath spout without diverter for free-standing assembly - Brushed Champagne (22kt Gold)

MEM

13 672 780	Product version from 9/30/2005		
	<ul style="list-style-type: none"> • 280mm projection • cascade • total height 830 - 900 mm • height up to aerator 665 – 735 mm • push-on rosette 130 x 130 mm • max. flow 47.8 l/min at 3 bar flow pressure • WRAS 	<div>  Brushed Champagne (22kt Gold) </div> <div>13 672 780-46</div>	
		<div>  Chrome </div> <div>13 672 780-00</div>	
		<div>  Brushed Platinum </div> <div>13 672 780-06</div>	
		<div>  Platinum </div> <div>13 672 780-08</div>	
		<div>  Dark Chrome </div> <div>13 672 780-19</div>	
		<div>  Brushed Durabrass (23kt Gold) </div> <div>13 672 780-28</div>	
		<div>  Champagne (22kt Gold) </div> <div>13 672 780-47</div>	


Required miscellaneous

	Concealed floor mounting - <ul style="list-style-type: none"> • max. recess depth 150 mm • min. recess depth 80 mm 	35 945 970 90
---	---	---------------


MEM Bath spout without diverter for free-standing assembly - Brushed Champagne (22kt Gold)

MEM

13 672 780 Product version from 9/30/2005
mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
----------------	------	----------	----------

Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen
---------------------------	--------------------------------	-----------



MEM Bath spout without diverter for free-standing assembly - Brushed
Champagne (22kt Gold)

MEM

13 672 780 Product version from 9/30/2005

Certificates and sustainability

IAPMO_4976

LGA_18

WRAS_250602

MEM Bath spout without diverter for free-standing assembly - Brushed Champagne (22kt Gold)

MEM

13 672 780 Product version from 9/30/2005

