

27 632 661



- spout: circular, air-enriched flow
- max. flow 23.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- 221mm projection
- height of mixer 319 mm
- height up to aerator 216 mm
- hole diameter spout 35 mm
- hole diameter single-lever mixer 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 60mm
- rosette for single-lever mixer Ø 55mm
- rosette for complete hand shower set Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection
- WRAS 2207041

Intrinsic protection against back flow.

	Brushed Platinum	27 632 661-06
	Chrome	27 632 661-00
	Dark Chrome	27 632 661-19
	Light Gold	27 632 661-26
	Brushed Light Gold	27 632 661-27
	Matte Black	27 632 661-33
	Brushed Bronze	27 632 661-42
	Brushed Champagne (22kt Gold)	27 632 661-46
	Champagne (22kt Gold)	27 632 661-47
	Brushed Chrome	27 632 661-93
	Brushed Dark Platinum	27 632 661-99

Recommended miscellaneous




Perfecto installation kit - 12 614 970 90

Recommended miscellaneous




Decorative caps for Perfecto - Brushed Platinum 12 801 970-06
● 1 pair

27 632 661



Flow rate chart



Codes & Standards

ASME A112.18.1

cUPC

DIN 4109

EN 1717

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



META Bath shower set for bath rim or tile edge installation - Brushed Platinum

META

27 632 661

Certificates


Belgaqua_21-026-2 WRAS_2207

IAPMO_4976

LGA_38

27 632 661

Product version from 7/1/2023





META Bath shower set for bath rim or tile edge installation - Brushed Platinum

META

27 632 661

Spare parts list

Product version from 7/1/2023

No.	Item Number	Name	Quantity used	Delivery time
	29 300 660-06	META Single-lever bath mixer for bath rim or tile edge installation - Brushed Platinum	4	10