

TARA Hand shower set with individual rosettes FlowReduce - Chrome

TARA

27 803 892 Product version from 6/30/2015 to 7/11/2018


























- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" shower outlet

Technical data:

- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- 1/2" wall elbow

Intrinsic protection against back flow.

| | | |
|---|-------------------------------|--------------------|
|  | Chrome | 27 803 892-00 0010 |
|  | Chrome | 27 803 892-00 |
|  | Brushed Platinum | 27 803 892-06 |
|  | Brushed Platinum | 27 803 892-06 0010 |
|  | Platinum | 27 803 892-08 |
|  | Platinum | 27 803 892-08 0010 |
|  | Dark Chrome | 27 803 892-19 |
|  | Dark Chrome | 27 803 892-19 0010 |
|  | Brushed Durabass (23kt Gold) | 27 803 892-28 |
|  | Brushed Durabass (23kt Gold) | 27 803 892-28 0010 |
|  | Matte Black | 27 803 892-33 |
|  | Matte Black | 27 803 892-33 0010 |
|  | Brushed Dark Brass | 27 803 892-39 0010 |
|  | Brushed Dark Brass | 27 803 892-39 |
|  | Brushed Bronze | 27 803 892-42 |
|  | Brushed Bronze | 27 803 892-42 0010 |
|  | Brushed Champagne (22kt Gold) | 27 803 892-46 0010 |
|  | Brushed Champagne (22kt Gold) | 27 803 892-46 |
|  | Champagne (22kt Gold) | 27 803 892-47 |
|  | Champagne (22kt Gold) | 27 803 892-47 0010 |
|  | Brushed Chrome | 27 803 892-93 |
|  | Brushed Chrome | 27 803 892-93 0010 |
|  | Brushed Dark Platinum | 27 803 892-99 |
|  | Brushed Dark Platinum | 27 803 892-99 0010 |

Recommended miscellaneous




Concealed wall elbow -

35 085 970 90

- max. recess depth 163 mm
- min. recess depth 90 mm

27 803 892 Product version from 6/30/2015 to 7/11/2018

mm [inches]



Codes & Standards

| | | | |
|----------------|------|----------|----------|
| ASME A112.18.1 | cUPC | DIN 4109 | ISO 3822 |
|----------------|------|----------|----------|

Ü-Zeichen

Certificates and sustainability

| | |
|--------|------------|
| LGA_29 | IAPMO_4976 |
|--------|------------|



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|--|--------------------|--|---------------|---------------|
| 2 | 28 050 892-00 | TARA Wall bracket - Chrome | 1.00 | 10 |
| 3 | 28 104 970-00 | Metal shower hose 1/2" x 1/2" x 1250 mm - Chrome | 1.00 | 2 |
| 1 | 28 450 892-00 | connection | 1.00 | 60 |
| 4 | 28 014 979-00 0010 | Hand shower - Chrome | 1.00 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| | 28018979-000010 | Hand shower FlowReduce - Chrome | | |