

## Hand shower - Matte White

28 014 979 Product version from 4/1/2024



- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 100mm
- 1/2" connection
- max. flow 6.8 l/min
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Intrinsic protection against back flow.


Matte White	28 014 979-10 0010
Chrome	28 014 979-00
Brushed Platinum	28 014 979-06
Platinum	28 014 979-08
Matte White	28 014 979-10
Light Gold	28 014 979-26 0010
Brushed Light Gold	28 014 979-27 0010
Brushed Durabrass (23kt Gold)	28 014 979-28
Matte Black	28 014 979-33
Cyprum	28 014 979-49 0010
Brushed Chrome	28 014 979-93
Brushed Dark Platinum	28 014 979-99



## Hand shower - Matte White

28 014 979 Product version from 4/1/2024

mm [inches]



### Codes & Standards

ASME A112.18.1      cUPC      EN 1112      EPA WaterSense

Scottish Water  
Byelaws

UK Water Supply  
Regulations

WaterSense




### Certificates

IAPMO\_11777      DVGW\_DW-6517DN0      WRAS\_2210      IAPMO\_4976 (

## Hand shower - Matte White

28 014 979 Product version from 4/1/2024

Parts for other finishes can be found here: [Chrome](#)



### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 23 01 039 90	sieve	1	2