

VAIA Wall elbow - Dark Chrome

VAIA










28 450 809

Product version from 7/6/2018



- 3/8" shower outlet
  - rosette Ø 60 mm
  - 1/2" connection
  - WRAS

Intrinsic protection against back flow.

	Dark Chrome	28 450 809-19
	Chrome	28 450 809-00
	Brushed Platinum	28 450 809-06
	Platinum	28 450 809-08
	Brushed Durabrass (23kt Gold)	28 450 809-28
	Brushed Bronze	28 450 809-42
	Brushed Champagne (22kt Gold)	28 450 809-46
	Champagne (22kt Gold)	28 450 809-47
	Brushed Dark Platinum	28 450 809-99

Recommended miscellaneous



- Concealed wall elbow -

- max. recess depth 163 mm
  - min. recess depth 90 mm

35 085 970 90

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	EN 1717	Scottish Water Byelaws
----------------	------	---------	------------------------

UK Water Supply Regulations



## VAIA Wall elbow - Dark Chrome

VAIA

28 450 809 Product version from 7/6/2018

### Certificates and sustainability

Belgaqua\_22\_280\_2 IAPMO\_4976

WRAS\_240702

