









28 450 845



- 3/8" shower outlet
- rosette 60 x 78 mm
- 1/2" connection
- WRAS 2310091

Intrinsic protection against back flow.

| | | |
|--|-----------------------|---------------|
|  | Brushed Platinum | 28 450 845-06 |
|  | Chrome | 28 450 845-00 |
|  | Dark Chrome | 28 450 845-19 |
|  | Light Gold | 28 450 845-26 |
|  | Brushed Light Gold | 28 450 845-27 |
|  | Matte Black | 28 450 845-33 |
|  | Brushed Chrome | 28 450 845-93 |
|  | Brushed Dark Platinum | 28 450 845-99 |

Recommended miscellaneous



- Concealed wall elbow -** 35 085 970 90
- max. recess depth 163 mm
 - min. recess depth 90 mm




LISSÉ Wall elbow - Brushed Platinum

LISSÉ

28 450 845

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1

cUPC

Scottish Water
Byelaws

UK Water Supply
Regulations



LISSÉ Wall elbow - Brushed Platinum

LISSÉ

28 450 845

Certificates

IAPMO_4976


WRAS_2310

28 450 845

Product version from 3/9/2016 to 7/6/2018

Product version from 7/6/2018 to 3/2/2021

Product version from 3/2/2021





LISSÉ Wall elbow - Brushed Platinum

LISSÉ

28 450 845

Spare parts list

Product version from 3/9/2016 to 7/6/2018

Product version from 7/6/2018 to 3/2/2021

Product version from 3/2/2021

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|-----------------|------|---------------|---------------|
| | 09 16 01 014 90 | ring | 13 | 2 |