



DORNBACHT YARRE Shower head - Chrome

DORNBACHT  
YARRE

28 504 832    Product version from 1/1/2023



- 180-210mm projection
- ball-joint pivotable through 30°
- normal flow
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 55 mm
- 1/2" connection
- max. flow 7.6 l/min
- rosette Ø 55 mm
- WRAS

|                                                                                   |            |               |
|-----------------------------------------------------------------------------------|------------|---------------|
|  | Chrome     | 28 504 832-00 |
|  | Soft Black | 28 504 832-69 |


Recommended miscellaneous

Concealed wall elbow -                      35 085 970 90




28 504 832 Product version from 1/1/2023

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



DORNBRACHT YARRE Shower head - Chrome

DORNBRACHT  
YARRE

28 504 832 Product version from 1/1/2023

Certificates and sustainability

LGA\_28 WRAS\_240202



Spare parts list

| No. | Item Number        | Name       | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 1   | 90 27 83 016 00-00 | rosette    | 1.00          | 2             |
| 2   | 90 11 03 011 10-00 | connection | 1.00          | 2             |