

## Body spray without volume control - Brushed Champagne (22kt Gold)

SERIES SPECIFIC

28 528 782 Product version from 6/1/2024



- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- HORIZONTAL RAIN, max. flow rate 7 l/min (at 3 bar)
- anti-scale system
- rosette 60 x 60 mm
- 1/2" connection
- WRAS

	Brushed Champagne (22kt Gold)	28 528 782-46
	Chrome	28 528 782-00
	Brushed Platinum	28 528 782-06
	Platinum	28 528 782-08
	Dark Chrome	28 528 782-19
	Brushed Light Gold	28 528 782-27
	Brushed Durabrass (23kt Gold)	28 528 782-28
	Matte Black	28 528 782-33
	Champagne (22kt Gold)	28 528 782-47
	Brushed Chrome	28 528 782-93
	Brushed Dark Platinum	28 528 782-99

### Recommended miscellaneous




#### Concealed wall elbow -

35 085 970 90

- max. recess depth 163 mm
- min. recess depth 90 mm

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
----------	----------	------------------------	-----------------------------

Ü-Zeichen



Body spray without volume control - Brushed Champagne (22kt Gold)

SERIES SPECIFIC

28 528 782    Product version from 6/1/2024

Certificates and sustainability

LGA\_38                      WRAS\_240602



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	3 09 31 11 048 90	pin	1.00	2
	8 09 21 40 016-46	connection	1.00	30
	6 09 16 01 014 90	ring	1.00	2
	10 90 12 05 027 00-46	casing ( completely )	1.00	30
	7 90 23 01 147 00 90	back-flow preventer	1.00	2
	1 09 14 10 098 90	seal	1.00	2
	5 09 14 15 010 90	ring	1.00	2
	4 09 23 30 026-46	nut	1.00	30
	2 09 27 98 003-46	rosette	1.00	30
	9 09 14 10 015 90	seal	1.00	2