












Shower thermostat for wall installation - Brushed Dark Brass

SERIES-VARIOUS

34 443 979



- 3/8" shower outlet
  - slide-on rosettes Ø 70 mm
  - 1/2" connection
  - gauge 150 mm - 13 mm
  - with volume control
  - WRAS
- Intrinsic protection against back flow.

|   |                               |               |
|---|-------------------------------|---------------|
|    | Brushed Dark Brass            | 34 443 979-39 |
|    | Chrome                        | 34 443 979-00 |
|    | Brushed Platinum              | 34 443 979-06 |
|    | Platinum                      | 34 443 979-08 |
|    | Dark Chrome                   | 34 443 979-19 |
|    | Brushed Durabrass (23kt Gold) | 34 443 979-28 |
|    | Matte Black                   | 34 443 979-33 |
|    | Brushed Champagne (22kt Gold) | 34 443 979-46 |
|    | Champagne (22kt Gold)         | 34 443 979-47 |
|   | Brushed Chrome                | 34 443 979-93 |
|  | Brushed Dark Platinum         | 34 443 979-99 |


Required miscellaneous

TARA Regulator handle - Brushed Durabrass (23kt Gold) 11 431 892-28



34 443 979

mm [inches]



Flow rate chart



## Codes & Standards

DIN 4109

EN 1717

ISO 3822

Ü-Zeichen



## Shower thermostat for wall installation - Brushed Dark Brass

SERIES-VARIOUS

34 443 979

Certificates and sustainability

Belgaqua\_22\_281\_2 LGA\_29

34 443 979

Parts for other  
finishes can be found  
here: [Chrome](#)

