


35 429 970 90 Product version from 1/1/2025



- pre-seal
- lead-free, dezincification resistant
- 2x back flow preventer
- 3x outlet G 1/2"
- 2x female thread 1/2" connections
- dust cover
- anti-water packing
- sound and thermal insulation
- gauge 70 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)

Can only be combined with exposed trim parts 36 427 SSS-FF

35 429 970 90 Product version from 1/1/2025




Codes & Standards

Scottish Water
Byelaws

UK Water Supply
Regulations

Certificates and sustainability

WRAS_250402



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|-----------------------|---------------------|---------------|---------------|
| | 2 04 30 31 024 01 90 | fixing set | 1.00 | 2 |
| | 16 09 30 30 112 90 | screw | 1.00 | 2 |
| | 12 90 14 10 056 00 90 | seal | 1.00 | 2 |
| | 13 09 24 03 219 90 | nipple | 1.00 | 2 |
| | 9 09 14 10 112 90 | seal | 1.00 | 2 |
| | 8 09 31 20 094 90 | plug | 1.00 | 2 |
| | 3 04 17 20 127 00 90 | holder | 1.00 | 2 |
| | 4 09 31 20 092 90 | plug | 1.00 | 2 |
| | 17 04 14 03 080 00 90 | gasket kit | 1.00 | 2 |
| | 15 04 21 02 146 00 90 | cap | 1.00 | 2 |
| | 11 90 23 01 040 00 90 | back-flow preventer | 1.00 | 2 |
| | 6 04 31 20 039 11 90 | plug | 1.00 | 2 |
| | 14 09 14 10 512 90 | seal | 1.00 | 2 |
| | 1 09 30 30 171 90 | screw | 1.00 | 2 |
| | 7 09 31 20 093 90 | plug | 1.00 | 2 |
| | 10 04 30 11 149 00 90 | plug | 1.00 | 2 |
| | 5 09 14 10 139 90 | seal | 1.00 | 2 |