

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings -

35 741 970 90

_	9		
1	1	7	

- lead-free2x male thread 1/2" connection
- 2x back flow preventer
- 2x integrated supply stop
- concealed installation
- min. recess depth 90 mm
- max. recess depth 125 mm
- Can be combined with spouts from the Vaia, Lissé, CL.1, IMO, Tara., Tara Logic, Meta.02, Deque, Supernova, Symetrics, LULU and MEM series Cannot be combined with spouts with a pull-rod pop-up waste. Please combine with item no. 10 126 970-FF Other series and finishes on request (x-TRA SERVICE) ATTENTION: Separate terms and conditions for electronic articles are applicable. Can be combined with spouts from the Vaia, Lissé, CL.1, IMO, Tara., Tara Logic, Meta.02, Deque, Supernova, Symetrics, LULU and MEM series Cannot be combined with spouts with a pull-rod pop-up waste. Please combine with item no. 10 126 970-FF Other series and finishes on request (x-TRA SERVICE)

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Required miscellaneous




Leak protection 1/2" -●This article is needed 2x. 12 010 970 90



eSET Touchfree Basin mixer with temperature setting for combining with wallmounted fittings -

35 741 970 90 mm [inches]




Certificates

WRAS_1906116. Belgaqua_23-210- LGA_29119. 27_1.



eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings -

35 741 970 90



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 30 31 024 01 90	fixing set	2	2
2	04 31 20 039 11 90	plug	3	2
3	90 14 10 010 00 90	seal	3	2
4	09 31 20 092 90	plug	1	2
5	90 23 01 040 00 90	back-flow preventer	2	2
6	04 29 05 031 01 90	insert	2	2
7	09 14 10 117 90	seal	1	2
8	09 31 20 094 90	plug	1	2
9	09 31 20 093 90	plug	1	2
10	09 14 10 031 90	seal	1	2
11	09 14 03 103 90	seal	1	2
12	09 11 11 011 90	lid	1	2