

## BIG RAIN Rain panel for ceiling installation or ceiling substructure installation - Brushed Stainless Steel

IMO

41 400 979



- Rain panel with 2 different spray modes
- PURIFY RAIN, 200 x 160 mm, max. flow rate 23.5 l/min (at 3 bar)
  FULL RAIN, 360 x 280 mm, max. flow rate 13.6
- FULL RAIN, 360 x 280 mm, max. flow rate 13.6 l/min (at 3 bar)
- cover plate, stainless steel 600 x 480 mm
- 2x flexible connection hose 1/2" female thread
- 4x mounting pin
- pre-fitted stainless steel enclosure
- with anti-scale system

Fits: IMO, LULU, MADISON, MEM, TARA, CL.1, LISSÉ, VAIA, META, CYO

#### technical data:

- minimum flow rate 25 l/min (both rain modes together)
- flow at 3bar flow pressure in conjunction with xTOOL: 39l/min
- minimum flow pressure 2 bar
- max. flow pressure 4 bar
- weight: 12kg

### technical data:

#### plumbing:


- recommended water hardness: 6-7 °dH if the water is harder, integrate a water softener that uses the ion exchange principle into the feed pipe.
- for choosing the drainage, taking into consideration the discharge of all the products in the shower, the specific demand needs to be assessed.
   Recommendation: Floor drain (connected rating) = 1l/sec, drainage rate DN 50
- feed pipe (hot/cold): 2x DN 20
- for the optimum choice of hot water storage device - taking into consideration additional drawing-off points and the frequency with which BigRain is used - the specific demand needs to be assessed.

### Recommended miscellaneous




BIG RAIN Cover for supply pipes - 12 940 979-86 Brushed Stainless Steel

- ●length 450-480 mm
- •for ceiling substructure installation
- •stainless steel cover 125 x 50 mm






# BIG RAIN Rain panel for ceiling installation or ceiling substructure installation - Brushed Stainless Steel



### Flow rate chart



### Certificates


LGA\_18146.





## BIG RAIN Rain panel for ceiling installation or ceiling substructure installation - Brushed Stainless Steel

41 400 979 Parts for other finishes can be found here: Stainless Steel



## Spare parts list

04 30 35 010 00 90	fixing set	1	
04 17 09 001 00-86		•	2
0111000010000	casing	1	30
12 502 970 90	High pressure hose 1/2" x 1/2" x 400 mm -	1	2
90 24 03 027 02 90	nipple	2	2
04 21 50 004 01 90	accessories	2	2
09 30 30 155 90	screw	4	2
09 31 20 036 90	plug	4	2
04 29 03 035 00 90	insert	241	60
04 11 02 113 02-86	cover	1	30
09 24 04 112 10 90	nipple	1	2
09 23 01 042 90	insert	1	2
09 24 03 027 90	nipple	1	2
09 14 20 025 90	seal	1	2
	90 24 03 027 02 90 04 21 50 004 01 90 09 30 30 155 90 09 31 20 036 90 04 29 03 035 00 90 04 11 02 113 02-86 09 24 04 112 10 90 09 23 01 042 90 09 24 03 027 90	12 502 970 90	12 502 970 90     High pressure hose 1/2" x 1/2" x 400 mm -     1       90 24 03 027 02 90     nipple     2       04 21 50 004 01 90     accessories     2       09 30 30 155 90     screw     4       09 31 20 036 90     plug     4       04 29 03 035 00 90     insert     241       04 11 02 113 02-86     cover     1       09 24 04 112 10 90     nipple     1       09 23 01 042 90     insert     1       09 24 03 027 90     nipple     1