

TARA Shower mixer for wall mounting without hand shower - Matte Black

TARA




26 100 892

Product version from 4/1/2024




- female 3/8" or male thread 1/2" shower outlet
- slide-on rosettes Ø 65 mm
- 1/2" connection
- gauge 150 mm - 15 mm


Intrinsic protection against back flow.

	Matte Black	26 100 892-33
	Light Gold	26 100 892-26
	Brushed Light Gold	26 100 892-27

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Ü-Zeichen



TARA Shower mixer for wall mounting without hand shower - Matte Black

TARA


26 100 892 Product version from 4/1/2024

Certificates and sustainability

LGA_18

Belgaqua_21-033-2

Parts for other
finishes can be found
here: [Light Gold](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	15 09 20 89 010-33	handle	2.00	60
	5 09 23 10 064-33	nut	2.00	30
	8 09 23 01 131 90	back-flow preventer	1.00	2
	9 09 21 02 143-33	sleeve	1.00	30
	7 09 24 03 121-33	nipple	1.00	30
	4 04 29 05 014 00 90	nipple	2.00	2
	14 90 12 12 007 00-33	base	2.00	30
	2 09 27 89 103-33	rosette	2.00	30
	3 09 14 10 034 90	seal	2.00	2
	10 90 90 03 131 00 90	top	2.00	2
	1 04 11 04 030 00 90	connection	2.00	2
	12 90 30 30 075 00 90	screw	2.00	2
	13 90 30 11 029 00 90	disc	2.00	2
	6 90 14 10 032 00 90	seal	1.00	2
	11 90 20 89 010 10-33	handle	2.00	30