

Hand shower set - Brushed Bronze

























SERIES SPECIFIC

27 806 625 Product version from 4/1/2024 to 6/3/2020



- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 55 mm
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 55mm
- WRAS

Intrinsic protection against back flow.

| | | |
|---|--------------------------------|--------------------|
|  | Brushed Bronze | 27 806 625-42 |
|  | Chrome | 27 806 625-00 |
|  | Chrome | 27 806 625-00 0010 |
|  | Brushed Platinum | 27 806 625-06 |
|  | Brushed Platinum | 27 806 625-06 0010 |
|  | Dark Chrome | 27 806 625-19 |
|  | Dark Chrome | 27 806 625-19 0010 |
|  | Light Gold | 27 806 625-26 0010 |
|  | Light Gold | 27 806 625-26 |
|  | Brushed Light Gold | 27 806 625-27 0010 |
|  | Brushed Light Gold | 27 806 625-27 |
|  | Brushed Durabronze (23kt Gold) | 27 806 625-28 |
|  | Brushed Durabronze (23kt Gold) | 27 806 625-28 0010 |
|  | Matte Black | 27 806 625-33 0010 |
|  | Matte Black | 27 806 625-33 |
|  | Brushed Bronze | 27 806 625-42 0010 |
|  | Brushed Champagne (22kt Gold) | 27 806 625-46 |
|  | Brushed Champagne (22kt Gold) | 27 806 625-46 0010 |
|  | Champagne (22kt Gold) | 27 806 625-47 |
|  | Champagne (22kt Gold) | 27 806 625-47 0010 |
|  | Brushed Chrome | 27 806 625-93 |
|  | Brushed Chrome | 27 806 625-93 0010 |
|  | Brushed Dark Platinum | 27 806 625-99 |
|  | Brushed Dark Platinum | 27 806 625-99 0010 |



Hand shower set - Brushed Bronze

SERIES SPECIFIC

27 806 625 Product version from 4/1/2024 to 6/3/2020

Recommended miscellaneous



- Concealed wall elbow -**
- min. recess depth 90 mm
 - max. recess depth 163 mm

35 085 970 90

Recommended miscellaneous




Wall elbow - Brushed Bronze


28 450 625-42

27 806 625 Product version from 4/1/2024 to 6/3/2020

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



Hand shower set - Brushed Bronze

SERIES SPECIFIC

27 806 625 Product version from 4/1/2024 to 6/3/2020

Certificates and sustainability

LGA_29 WRAS_2209

