

LULU Hand shower set with individual rosettes FlowReduce - Chrome

LULU

27 808 710



- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- 3/8" shower outlet
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection





Technical dimensions:

- rosette for wall elbow 78 x 55mm
- rosette for shower holder 78 x 55mm
- 1/2" wall elbow


Notes:

- WRAS

Intrinsic protection against back flow.


	Chrome	27 808 710-00 0010
	Chrome	27 808 710-00
	Brushed Platinum	27 808 710-06
	Brushed Platinum	27 808 710-06 0010

Recommended miscellaneous

	<div>Concealed wall elbow -</div> <div> <div>•max. recess depth 163 mm</div> <div>•min. recess depth 90 mm</div> </div>	35 085 970 90
---	---	---------------

27 808 710

mm [inches]




Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
----------------	------	----------	----------

Ü-Zeichen

Certificates and sustainability

LGA_29	IAPMO_4976
--------	------------



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
3	90 30 02 072 00-00	Metal shower hose 1/2" x 3/8" x 1250 mm - Chrome	1.00	10
2	28 050 710-00	LULU Wall bracket - Chrome	1.00	-
Spare part can no longer be ordered, please order the replacement item				
1	28 450 710-00	LULU Wall elbow - Chrome	1.00	10
4	90 12 11 140 41-00	shower	1.00	10