



MADISON Metal hand shower with porcelain insert (white) FlowReduce - Chrome

28 002 970			
	<ul style="list-style-type: none"> • COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar) • spray head Ø 64mm • 1/2" connection • This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB <p>Intrinsic protection against back flow.</p>		
	Chrome	28 002 970-00 0010	
	Chrome	28 002 970-00	
	Gold (23.9kt)	28 002 970-01	
	Brushed Platinum	28 002 970-06	
	Brushed Platinum	28 002 970-06 0010	
	Platinum	28 002 970-08	
	Platinum	28 002 970-08 0010	
	Durabrass (23kt Gold)	28 002 970-09	
	Durabrass (23kt Gold)	28 002 970-09 0010	
	Brushed Durabrass (23kt Gold)	28 002 970-28	
	Brushed Durabrass (23kt Gold)	28 002 970-28 0010	
	Brushed Chrome	28 002 970-93	
	Brushed Chrome	28 002 970-93 0010	
	Brushed Dark Platinum	28 002 970-99	
	Brushed Dark Platinum	28 002 970-99 0010	




MADISON Metal hand shower with porcelain insert (white) FlowReduce - Chrome

28 002 970
mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
----------------	------	----------	----------

Ü-Zeichen



MADISON Metal hand shower with porcelain insert (white) FlowReduce -
Chrome

28 002 970
Certificates

LGA_8 IAPMO_4976 (

MADISON Metal hand shower with porcelain insert (white) FlowReduce - Chrome

28 002 970
Parts for other
finishes can be found
here: Chrome



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 12 01 010 00 90	set	1	2
2	09 14 10 069 90	seal	1	2
3	09 24 04 059 20-00	nipple	1	10
4	09 14 10 042 90	seal	1	2
5	90 28 22 033 00-00	insert	1	10
6	11 167 820 60	handle	1	2
7	09 23 01 166 90	flow reducer	1	2
8	09 23 01 039 90	sieve	1	2