

## Shower head - Brushed Champagne (22kt Gold)

SERIES SPECIFIC

28 504 979 Product version from 10/1/2023



- spray head Ø 100mm
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- with anti-scale system

### Technical dimensions:

- 180-210mm projection
- ball-joint pivotable through 30°
- rosette Ø 55 mm
- 1/2" connection

|   |                                |               |
|---|--------------------------------|---------------|
|    | Brushed Champagne (22kt Gold)  | 28 504 979-46 |
|    | Chrome                         | 28 504 979-00 |
|    | Brushed Platinum               | 28 504 979-06 |
|    | Platinum                       | 28 504 979-08 |
|    | Dark Chrome                    | 28 504 979-19 |
|    | Light Gold                     | 28 504 979-26 |
|    | Brushed Light Gold             | 28 504 979-27 |
|    | Brushed Durabronze (23kt Gold) | 28 504 979-28 |
|   | Matte Black                    | 28 504 979-33 |
|  | Brushed Bronze                 | 28 504 979-42 |
|  | Champagne (22kt Gold)          | 28 504 979-47 |
|  | Brushed Chrome                 | 28 504 979-93 |
|  | Brushed Dark Platinum          | 28 504 979-99 |

## Recommended miscellaneous



- Concealed wall elbow -** 35 085 970 90
- max. recess depth 163 mm
  - min. recess depth 90 mm

28 504 979 Product version from 10/1/2023

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

EN 1112

ISO 3822

Ü-Zeichen



## Shower head - Brushed Champagne (22kt Gold)

SERIES SPECIFIC

28 504 979 Product version from 10/1/2023

### Certificates and sustainability

DVGW\_DW- LGA\_19  
6517DN0



Spare parts list

| No. | Item Number          | Name       | Quantity used | Delivery time |
|-----|----------------------|------------|---------------|---------------|
|     | 3 09 11 03 011-46    | connection | 1.00          | 30            |
|     | 5 90 12 05 054 00-46 | shower     | 1.00          | 30            |
|     | 4 90 14 20 002 00 90 | seal       | 1.00          | 2             |
|     | 2 90 14 10 026 00 90 | seal       | 1.00          | 2             |
|     | 1 09 27 22 503-46    | rosette    | 1.00          | 30            |