

## Rain shower with wall fixing FlowReduce 400 mm - Brushed Durabrand (23kt Gold)

TARA

28 658 970



Fits: TARA, LISSÉ, VAIA, META

- 450mm projection
- rain shower Ø 400 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- Function from: 12 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

To be provided by the customer. Zigbee Gateway!


	Brushed Durabrand (23kt Gold)	28 658 970-28
	Chrome	28 658 970-00
	Brushed Platinum	28 658 970-06
	Platinum	28 658 970-08
	Dark Chrome	28 658 970-19
	Light Gold	28 658 970-26
	Brushed Light Gold	28 658 970-27
	Matte Black	28 658 970-33
	Brushed Bronze	28 658 970-42
	Brushed Champagne (22kt Gold)	28 658 970-46
	Champagne (22kt Gold)	28 658 970-47
	Brushed Chrome	28 658 970-93
	Brushed Dark Platinum	28 658 970-99

## Rain shower with wall fixing FlowReduce 400 mm - Brushed Durabronz (23kt Gold)


TARA

28 658 970

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



Rain shower with wall fixing FlowReduce 400 mm - Brushed Durabrass (23kt Gold)

TARA

---

28 658 970

Certificates

---

LGA\_38

# Rain shower with wall fixing FlowReduce 400 mm - Brushed Durabross (23kt Gold)

TARA

28 658 970

**Product version from 4/1/2024**

Parts for other  
finishes can be found  
here: [Chrome](#)





Rain shower with wall fixing FlowReduce 400 mm - Brushed Durabrass (23kt Gold)

TARA

28 658 970

Spare parts list

Product version from 4/1/2024

No.	Item Number	Name	Quantity used	Delivery time
	04 30 31 032 00 90	fixing set	9	2