

## Two-way diverter for bath rim or tile edge installation - Dark Chrome

SERIES SPECIFIC

29 140 979



- automatic bath/shower diverter
- hole diameter 32 mm
- rosette Ø 50 mm
- 1/2" connection
- max. flow 64.9 l/min at 3 bar flow pressure
- WRAS

|   |                                     |               |
|---|-------------------------------------|---------------|
|    | Dark Chrome                         | 29 140 979-19 |
|    | Chrome                              | 29 140 979-00 |
|    | Brushed Platinum                    | 29 140 979-06 |
|    | Platinum                            | 29 140 979-08 |
|    | Brushed Durabronze<br>(23kt Gold)   | 29 140 979-28 |
|    | Matte Black                         | 29 140 979-33 |
|    | Brushed Dark<br>Brass               | 29 140 979-39 |
|    | Brushed Bronze                      | 29 140 979-42 |
|    | Brushed<br>Champagne (22kt<br>Gold) | 29 140 979-46 |
|   | Champagne (22kt<br>Gold)            | 29 140 979-47 |
|  | Brushed Chrome                      | 29 140 979-93 |
|  | Brushed Dark<br>Platinum            | 29 140 979-99 |

29 140 979



### Flow rate chart



### Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



## Two-way diverter for bath rim or tile edge installation - Dark Chrome

SERIES SPECIFIC

29 140 979

Certificates and sustainability

LGA\_29

29 140 979

Parts for other  
finishes can be found  
here: [Chrome](#)

