

# SYNC Single-lever mixer Pull-down with spray function - Matte Black

SYNC

33 870 895



- 240mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 821 970 90
- laminar and spray flow
- height of mixer 444 mm
- height up to laminar flow regulator 240 mm
- hole diameter 35 mm
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

	Matte Black	33 870 895-33
	Chrome	33 870 895-00
	Brushed Platinum	33 870 895-06
	Platinum	33 870 895-08
	Durabrass (23kt Gold)	33 870 895-09
	Dark Chrome	33 870 895-19
	Brushed Durabrass (23kt Gold)	33 870 895-28
	Brushed Champagne (22kt Gold)	33 870 895-46
	Champagne (22kt Gold)	33 870 895-47
	Brushed Chrome	33 870 895-93
	Brushed Dark Platinum	33 870 895-99

## Recommended miscellaneous

	<b>Swivel limitation set -</b>	12 821 970 90
--	--------------------------------	---------------

## Recommended miscellaneous

	<b>Dispenser without rosette - Matte Black</b>	82 424 970-33
--	--	---------------

## Recommended miscellaneous

	<b>Strainer waste with control handle - Matte Black</b>	10 712 970-33
--	---	---------------


## Recommended miscellaneous

	<b>Dispenser without rosette - Matte Black</b>	82 424 970-33
--	--	---------------


## Recommended miscellaneous

	<b>Strainer waste with control handle - Matte Black</b>	10 712 970-33
--	---	---------------

33 870 895



Flow rate chart



Codes & Standards

DIN 4109

Executive Order  
no. 1007

ISO 3822

Ü-Zeichen



## SYNC Single-lever mixer Pull-down with spray function - Matte Black

---

SYNC

33 870 895

### Certificates

---

LGA\_28

GDV\_0400

**Product version from 5/20/2021**





## SYNC Single-lever mixer Pull-down with spray function - Matte Black

SYNC

33 870 895

### **Spare parts list**

**Product version from 5/20/2021**