




34 442 626




- 3/8" shower outlet
 - slide-on rosettes Ø 70 mm
 - 1/2" connection
 - gauge 150 mm - 13 mm
 - with volume control
 - WRAS
- Intrinsic protection against back flow.


| | | |
|---|----------------|---------------|
|  | Chrome | 34 442 626-00 |
|  | Matte Black | 34 442 626-33 |
|  | Brushed Chrome | 34 442 626-93 |

34 442 626

mm [inches]



Flow rate chart



Codes & Standards

| | | | |
|-----------------------------|-----------|----------|------------------------|
| DIN 4109 | EN 1717 | ISO 3822 | Scottish Water Byelaws |
| UK Water Supply Regulations | Ü-Zeichen | | |



EDITION PRO Shower thermostat for wall mounting - Chrome

EDITION PRO

34 442 626

Certificates and sustainability

Belgaqua_21-384-2 LGA_29

WRAS_2204

34 442 626

Parts for other
finishes can be found
here: [Matte Black](#)



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|-----------------------|------------|---------------|---------------|
| | 13 09 31 20 511-00 | nipple | 1.00 | 10 |
| | 11 90 30 40 017 00 90 | base | 1.00 | 2 |
| | 9 09 24 77 008-00 | nut | 2.00 | 10 |
| | 4 04 31 20 530 00 90 | insert | 1.00 | 2 |
| | 8 04 31 20 540 00 90 | insert | 1.00 | 2 |
| | 6 90 31 20 512 00-00 | rosette | 2.00 | 2 |
| | 10 90 90 03 236 00 90 | top | 1.00 | 2 |
| | 1 90 17 33 015 00-00 | handle | 2.00 | 10 |
| | 3 90 30 40 010 00 90 | regulator | 1.00 | 2 |
| | 7 09 29 30 050 90 | sieve | 2.00 | 2 |
| | 2 90 15 02 070 00 90 | cartridge | 1.00 | 2 |
| | 5 04 11 04 030 00 90 | connection | 2.00 | 2 |
| | 14 90 21 02 069 00-00 | cover | 1.00 | 10 |
| | 12 90 14 10 010 00 90 | seal | 1.00 | 2 |