




34 442 626




- 3/8" shower outlet
  - slide-on rosettes Ø 70 mm
  - 1/2" connection
  - gauge 150 mm - 13 mm
  - with volume control
  - WRAS
- Intrinsic protection against back flow.


	Brushed Chrome	34 442 626-93
	Chrome	34 442 626-00
	Matte Black	34 442 626-33

34 442 626

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## EDITION PRO Shower thermostat for wall mounting - Brushed Chrome

---

EDITION PRO

34 442 626

Certificates and sustainability

---

Belgaqua\_21-384-2 LGA\_29

WRAS\_2204

34 442 626

Parts for other  
finishes can be found  
here: [Chrome](#)



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
10	90 90 03 236 00 90	top	1.00	2
5	04 11 04 030 00 90	connection	2.00	2
6	90 31 20 512 00-93	rosette	2.00	20
4	04 31 20 530 00 90	insert	1.00	2
9	09 24 77 008-00	nut	2.00	10
1	90 17 33 015 00-93	handle	2.00	20
3	90 30 40 010 00 90	regulator	1.00	2
7	09 29 30 050 90	sieve	2.00	2
13	09 31 20 511-93	nipple	1.00	20
11	90 30 40 017 00 90	base	1.00	2
8	04 31 20 540 00 90	insert	1.00	2
2	90 15 02 070 00 90	cartridge	1.00	2
14	90 21 02 069 00-93	cover	1.00	20
12	90 14 10 010 00 90	seal	1.00	2