

Shower thermostat for wall mounting - Brushed Durabrand (23kt Gold)

IMO

34 442 979



- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- 3/8" shower outlet
- with volume control
- WRAS 2204005

Intrinsic protection against back flow.

Fits: IMO, LULU, MEM, TARA, LISSÉ, VAIA, META


	Brushed Durabrand (23kt Gold)	34 442 979-28
	Chrome	34 442 979-00
	Brushed Platinum	34 442 979-06
	Platinum	34 442 979-08
	Dark Chrome	34 442 979-19
	Light Gold	34 442 979-26
	Brushed Light Gold	34 442 979-27
	Matte Black	34 442 979-33
	Brushed Bronze	34 442 979-42
	Brushed Champagne (22kt Gold)	34 442 979-46
	Champagne (22kt Gold)	34 442 979-47
	Brushed Chrome	34 442 979-93
	Brushed Dark Platinum	34 442 979-99

Shower thermostat for wall mounting - Brushed Durabron (23kt Gold)


IMO

34 442 979

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1111

EN 1717

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



Shower thermostat for wall mounting - Brushed Durabrand (23kt Gold)

IMO

34 442 979

Certificates

LGA_29

WRAS_2204


DVGW_DW-
6509DN0

Belgaqua_21-032-2

34 442 979

Product version from 10/1/2023

Parts for other
finishes can be found
here: [Chrome](#)





Shower thermostat for wall mounting - Brushed Durabrass (23kt Gold)

IMO

34 442 979

Spare parts list

Product version from 10/1/2023

No.	Item Number	Name	Quantity used	Delivery time
	90 17 33 015 00-28	handle	19	20