




34 460 626




- shower with fixed riser projection 541mm
- overhead shower: rain flow
- rain shower Ø 300 mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm
- quick clearing
- WRAS


This article does not include a hand shower!

| | | |
|---|----------------|---------------|
|  | Chrome | 34 460 626-00 |
|  | Matte Black | 34 460 626-33 |
|  | Brushed Chrome | 34 460 626-93 |

34 460 626
mm [inches]
1:10



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



EDITION PRO Showerpipe with shower thermostat without hand shower - Chrome

EDITION PRO

34 460 626

Certificates and sustainability

Belgaqua_21-384-2 WRAS_2204

LGA_38

EDITION PRO Showerpipe with shower thermostat without hand shower - Chrome

EDITION PRO

34 460 626

Parts for other
finishes can be found
here: [Matte Black](#)



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|--|---------------|---------------|
| 7 | 90 17 33 015 00-00 | handle | 1.00 | 10 |
| 1 | 04 12 05 091 00-00 | shower | 1.00 | 10 |
| 6 | 04 17 01 350 00-00 | connection | 1.00 | 10 |
| 10 | 28 322 970-00 | Metal shower hose 1/2" x 3/8" x 1750 mm - Chrome | 1.00 | 2 |
| 2 | 09 23 01 039 90 | sieve | 1.00 | 2 |
| 9 | 12 570 970-00 | Slide unit - Chrome | 1.00 | 10 |
| 3 | 90 28 22 348 00-00 | pipe | 1.00 | 10 |
| 4 | 90 17 11 150 00-00 | holder | 1.00 | 10 |
| 5 | 90 28 22 349 00-00 | pipe | 1.00 | 10 |
| 8 | 90 14 20 026 00 90 | seal | 1.00 | 2 |