

RAINMOON Concealed ceiling installation box with color light -

35 615 970 90



- concealed rough parts
 - Rain panel with 2 different spray modes
 - AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 6.8 l/min (at 3 bar)
 - TEMPEST RAIN: Natural rain, max. flow rate 5 l/min (at 3 bar)
 - Ceiling installation enclosure 1356 x 1356 x 290 mm
 - Opening diameter 1252 mm
 - Ceiling construction with adequate structural strength for the permanent attachment of the device (weight: 57.5 kg / 127 lbs. (US)). M8 threaded bolts (minimum strength: 2000 N) are required to secure the ceiling module
- To be provided by the customer. Zigbee Gateway!**

To be provided by the customer. Zigbee Gateway!

Required miscellaneous

Leak protection 3/4" -


12 012 970 90

- This article is needed 2x.




RAINMOON Concealed ceiling installation box with color light -

35 615 970 90



RAINMOON Concealed ceiling installation box with color light -

35 615 970 90



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 24 03 287 02 90	fixing set	4	60
2	90 10 01 089 00 90	accessories	1	2
3	90 24 03 286 00 90	connection	3	2
4	90 10 01 211 00 90	electronic accessories	1	2
5	90 17 20 205 00 90	holder	1	2
6	90 17 20 209 00 90	holder	1	2
7	90 21 50 007 00 90	accessories	2	2
8	90 17 20 215 00 90	end stop	4	2