


Concealed wall-mounted mixer spout on right -

SERIES-VARIOUS

35 714 970 90



- red brass, lead-free
- 2x female thread 1/2" connections
- 3x female thread 1/2" outlet
- 3x sealing plug 1/2"
- 3x dust cover
- soundproofing
- gauge 100 mm

Required miscellaneous

Leak protection 1/2" -

12 010 970 90




Concealed wall-mounted mixer spout on right -

SERIES-VARIOUS


35 714 970 90

mm [inches]



	min	max
Supernova	65 [2 1/2"]	130 [5 1/8"]
Deque	65 [2 1/2"]	130 [5 1/8"]
Tara	65 [2 1/2"]	130 [5 1/8"]
Vaia	64 [2 1/2"]	136 [5 3/8"]
CL 2	97 [3 7/8"]	120 [4 3/4"]

Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen

XP P 41-280



Concealed wall-mounted mixer spout on right -

SERIES-VARIOUS


35 714 970 90

Certificates and sustainability

LGA_19

ACS_21 ACC LY

35 714 970 90



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	7 09 24 03 211 10 90	nipple	1.00	2
	2 09 14 10 042 90	seal	3.00	2
	8 04 31 20 037 00 90	plug	1.00	2
	1 09 11 11 043 90	accessories	1.00	2
	10 04 30 31 024 01 90	fixing set	1.00	2
	9 09 24 03 209 10 90	nipple	1.00	2
	5 04 31 20 006 00 90	plug	2.00	2
	6 09 21 02 102 90	cap	3.00	2
	3 09 24 03 210 10 90	nipple	1.00	2
	4 09 14 10 003 90	seal	3.00	2