

Concealed single-lever mixer with cover plate - Brushed Dark Brass
SERIES SPECIFIC


36 060 670
Product version from 6/1/2024




- cover plate 80 x 80 mm
- WRAS

| | | |
|---|-------------------------------|---------------|
|  | Brushed Dark Brass | 36 060 670-39 |
|  | Chrome | 36 060 670-00 |
|  | Brushed Platinum | 36 060 670-06 |
|  | Platinum | 36 060 670-08 |
|  | Dark Chrome | 36 060 670-19 |
|  | Brushed Light Gold | 36 060 670-27 |
|  | Brushed Durabrass (23kt Gold) | 36 060 670-28 |
|  | Matte Black | 36 060 670-33 |
|  | Brushed Champagne (22kt Gold) | 36 060 670-46 |
|  | Champagne (22kt Gold) | 36 060 670-47 |
|  | Brushed Chrome | 36 060 670-93 |
|  | Brushed Dark Platinum | 36 060 670-99 |

mm [inches]



Flow rate chart



Codes & Standards

| | | |
|----------|----------|-----------|
| DIN 4109 | ISO 3822 | Ü-Zeichen |
|----------|----------|-----------|



Concealed single-lever mixer with cover plate - Brushed Dark Brass

SERIES SPECIFIC

36 060 670 Product version from 6/1/2024

Certificates and sustainability

LGA_29

Concealed single-lever mixer with cover plate - Brushed Dark Brass

SERIES SPECIFIC

36 060 670 Product version from 6/1/2024

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|--|--------------------|-----------|---------------|---------------|
| 1 | 90 15 05 064 01 90 | cartridge | 1.00 | 2 |
| 2 | 09 24 04 105 90 | nut | 1.00 | 2 |
| 7 | 90 31 11 112 00 90 | pin | 1.00 | 2 |
| 4 | 09 27 78 048-39 | rosette | 1.00 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| 8 | 09 20 67 004-39 | handle | 1.00 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| 9 | 90 30 09 064 00 90 | key | 1.00 | 2 |
| 5 | 09 11 02 530-39 | cover | 1.00 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| 6 | 90 31 20 087 00-39 | plug | 1.00 | 30 |
| 3 | 90 14 10 049 00 90 | seal | 1.00 | 2 |