

Concealed two-way diverter - Brushed Durabrand (23kt Gold)

SERIES SPECIFIC


36 200 740



- rotary diverter
- without rosette
- handle Ø 60mm
- WRAS

	Brushed Durabrand (23kt Gold)	36 200 740-28
	Chrome	36 200 740-00
	Brushed Platinum	36 200 740-06
	Light Gold	36 200 740-26
	Brushed Light Gold	36 200 740-27
	Matte Black	36 200 740-33
	Brushed Dark Brass	36 200 740-39
	Brushed Bronze	36 200 740-42
	Brushed Champagne (22kt Gold)	36 200 740-46
	Champagne (22kt Gold)	36 200 740-47
	Brushed Dark Platinum	36 200 740-99

Required miscellaneous

<b>Concealed two-way diverter -</b>		35 202 970 90
	<ul style="list-style-type: none"> <li>•max. recess depth 160 mm</li> <li>•min. recess depth 85 mm</li> </ul>	

36 200 740

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
----------	----------	------------------------	-----------------------------

Ü-Zeichen



Concealed two-way diverter - Brushed Durabrass (23kt Gold)

SERIES SPECIFIC

36 200 740

Certificates and sustainability

LGA\_38

WRAS\_2307

36 200 740

