





LULU Concealed thermostat with one function volume control - Brushed Platinum


LULU

|   |  |   |   |   |                  |               |
|---|--|---|---|---|------------------|---------------|
| 36 425 710    Product version up to 8/24/2020 |  |  | <ul style="list-style-type: none"><li>• cover plate 150 x 90 mm</li><li>• temperature control handle with safety limit stop at 38°C</li><li>• hot water temperature limiter, can be preset</li><li>• WRAS</li></ul> |  | Brushed Platinum | 36 425 710-06 |
|   |  |   |   |  | Chrome           | 36 425 710-00 |

Required miscellaneous

|   |   |               |
|---|---|---------------|
|  | <b>Concealed thermostat with built-in isolators -</b>   | 35 426 970 90 |
|   | <ul style="list-style-type: none"> <li>max. recess depth 136 mm</li> <li>min. recess depth 80 mm</li> </ul> |               |


Required miscellaneous

|   |   |               |
|---|---|---------------|
|  | <b>Concealed thermostat -</b>   | 35 425 970 90 |
|   | <ul style="list-style-type: none"> <li>max. recess depth 136 mm</li> <li>min. recess depth 80 mm</li> </ul> |               |


# LULU Concealed thermostat with one function volume control - Brushed Platinum

LULU

36 425 710 Product version up to 8/24/2020  
mm [inches]



## Flow rate chart



## Codes & Standards

DIN 4109

EN 1111

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen

VA-Zeichen



LULU Concealed thermostat with one function volume control - Brushed Platinum

LULU

36 425 710    Product version up to 8/24/2020


Certificates and sustainability

|        |        |                 |        |             |
|--------|--------|-----------------|--------|-------------|
| LGA_19 | ETA_20 | DVGW_DW-6512DN0 | LGA_19 | WRAS_250402 |
|--------|--------|-----------------|--------|-------------|

# LULU Concealed thermostat with one function volume control - Brushed Platinum

LULU

36 425 710 Product version up to 8/24/2020





## LULU Concealed thermostat with one function volume control - Brushed Platinum

LULU

36 425 710 Product version up to 8/24/2020

### Spare parts list

| No. | Item Number        | Name       | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 14  | 09 31 11 134 90    | pin        | 1.00          | 2             |
| 17  | 09 30 01 296 90    | disc       | 1.00          | 2             |
| 22  | 90 15 02 013 00 90 | cartridge  | 1.00          | 2             |
| 16  | 09 30 30 157 90    | screw      | 4.00          | 2             |
| 11  | 09 28 10 187 90    | regulator  | 1.00          | 2             |
| 21  | 09 24 04 257 90    | nut        | 2.00          | 2             |
| 23  | 09 28 10 188 90    | regulator  | 1.00          | 2             |
| 1   | 90 90 03 166 00 90 | top        | 1.00          | 2             |
| 6   | 09 20 67 006-06    | handle     | 1.00          | 10            |
| 18  | 90 30 01 190 00 90 | disc       | 1.00          | 2             |
| 10  | 09 12 12 054 90    | base       | 1.00          | 2             |
| 24  | 09 28 10 189 90    | regulator  | 1.00          | 2             |
| 13  | 09 12 12 051-06    | base       | 1.00          | 10            |
| 5   | 90 12 12 002 00 90 | fixing cap | 1.00          | 2             |
| 7   | 90 17 33 017 00-06 | handle     | 1.00          | 10            |
| 15  | 09 11 02 246-06    | plate      | 1.00          | 10            |
| 2   | 09 12 12 053-06    | base       | 1.00          | 10            |
| 20  | 90 18 40 077 01 90 | spindle    | 2.00          | 2             |
| 12  | 04 29 06 024 01-00 | spindle    | 1.00          | 10            |
| 4   | 90 23 30 023 00 90 | nut        | 2.00          | 2             |
| 9   | 90 12 12 052 00 90 | base       | 1.00          | 2             |
| 3   | 04 29 06 111 01-00 | spindle    | 1.00          | 10            |
| 8   | 90 30 30 124 00 90 | screw      | 1.00          | 2             |
| 19  | 90 23 01 124 00 90 | sleeve     | 2.00          | 2             |