







MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed Durabrand (23kt Gold)

MADISON

36 503 977



- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS 2011026

	Brushed Durabrand (23kt Gold)	36 503 977-28
	Chrome	36 503 977-00
	Brushed Platinum	36 503 977-06
	Platinum	36 503 977-08
	Durabrand (23kt Gold)	36 503 977-09
	Brushed Dark Platinum	36 503 977-99

Required miscellaneous



xTOOL Concealed thermostat module without volume control -
35 503 970 90


- max. recess depth 110 mm
- min. recess depth 85 mm

MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed Durabron (23kt Gold)


MADISON

36 503 977

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1111

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed
Durabross (23kt Gold)

MADISON

36 503 977
Certificates

LGA_29	LGA_29	DVGW_DW- 6512DN0	WRAS_2011
--------	--------	---------------------	-----------

**MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed
Durabronz (23kt Gold)**

MADISON


36 503 977

Product version up to 2/2/2021

Product version from 5/11/2021 to 11/25/2021

Product version from 1/1/2022

Product version from 6/30/2022 to 5/11/2021





MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed
Durabrace (23kt Gold)

MADISON

36 503 977

Spare parts list

Product version up to 2/2/2021

Product version from 5/11/2021 to 11/25/2021

Product version from 1/1/2022

Product version from 6/30/2022 to 5/11/2021

No.	Item Number	Name	Quantity used	Delivery time
	90 15 02 063 00 90	cartridge	10	2