

MEM Wall valve clockwise closing 1/2" - Dark Chrome
MEM


36 607 782

- rosette 60 x 60 mm
 - head part with cut-to-length spindle and sleeve
 - WRAS



	Dark Chrome	36 607 782-19
	Chrome	36 607 782-00
	Brushed Platinum	36 607 782-06
	Platinum	36 607 782-08
	Brushed Durabrass (23kt Gold)	36 607 782-28
	Brushed Champagne (22kt Gold)	36 607 782-46
	Champagne (22kt Gold)	36 607 782-47
	Brushed Chrome	36 607 782-93
	Brushed Dark Platinum	36 607 782-99

Required miscellaneous

	<div> Wall valve 1/2" - 35 607 970 90 </div> <ul style="list-style-type: none"> •max. recess depth 150 mm •min. recess depth 105 mm
-------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------

MEM Wall valve clockwise closing 1/2" - Dark Chrome

MEM

36 607 782

mm [inches]



Codes & Standards			
ASME A112.18.1	cUPC	DIN 4109	EN 1111
EN 200	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
Ü-Zeichen			

Certificates and sustainability				
DVGW_DW-6501DN0	WRAS_2011	LGA_29	WRAS_2010	DVGW_DW-6512DN0
IAPMO_4976 (

36 607 782

