







CL.1 Wall valve clockwise closing cold 1/2" - Chrome

CL.1

36 627 706



- with CASCADE structure
- rosette 60 x 60 mm
- with cold marking
- head part with cut-to-length spindle and sleeve
- WRAS 2010066

| | | |
|--|-------------------------------|---------------|
|  | Chrome | 36 627 706-00 |
|  | Brushed Platinum | 36 627 706-06 |
|  | Dark Chrome | 36 627 706-19 |
|  | Brushed Champagne (22kt Gold) | 36 627 706-46 |
|  | Champagne (22kt Gold) | 36 627 706-47 |
|  | Brushed Dark Platinum | 36 627 706-99 |

Required miscellaneous



Wall valve 1/2" -

35 607 970 90

- max. recess depth 150 mm
- min. recess depth 105 mm



CL.1 Wall valve clockwise closing cold 1/2" - Chrome

CL.1

36 627 706

mm [inches]



Codes & Standards

| | | | |
|----------------|------------------------|-----------------------------|-----------|
| ASME A112.18.1 | cUPC | DIN 4109 | EN 200 |
| ISO 3822 | Scottish Water Byelaws | UK Water Supply Regulations | Ü-Zeichen |


Certificates

| | | | | |
|------------|-----------------|-----------|--------|--------|
| IAPMO_4976 | DVGW_DW-6501DN0 | WRAS_2010 | LGA_29 | LGA_29 |
|------------|-----------------|-----------|--------|--------|

36 627 706

Product version up to 10/14/2020

Product version from 10/14/2020





CL.1 Wall valve clockwise closing cold 1/2" - Chrome

CL.1

36 627 706

Spare parts list

Product version up to 10/14/2020

Product version from 10/14/2020

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|-----------------|---------------|---------------|
| | 90 20 70 053 02-00 | handle (cold) | 3 | 10 |