






SERIES-VARIOUS AQUAHALO Rain panel - Chrome

41 750 979



- exposed trim parts
- Rain panel with 3 different flow modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 14 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 9 l/min (at 3 bar)
- DIAMOND RAIN: Ring of rain, max. flow rate 6.8 l/min (at 3 bar)
- Outer diameter: 605 mm, opening diameter: 465 mm
- Weight: 6 kg
- central LED Spot 3000 K
- Protection rating IP67
- Recommended control element: xTool
- Not suitable for use in a steam room.

| | | |
|--|-------------------------------|---------------|
|  | Chrome | 41 750 979-00 |
|  | Brushed Platinum | 41 750 979-06 |
|  | Matte Black | 41 750 979-33 |
|  | Brushed Champagne (22kt Gold) | 41 750 979-46 |
|  | Champagne (22kt Gold) | 41 750 979-47 |

Required miscellaneous



- SERIES-VARIOUS AQUAHALO** 35 750 970-00
Concealed ceiling installation box
- Chrome
- concealed rough parts
 - Ceiling installation enclosure 605 x 605 x 95 mm
 - Weight: 10 kg
 - min. recess depth 110 mm
 - max. recess depth 150 mm

SERIES-VARIOUS AQUAHALO Rain panel - Chrome

41 750 979




Flow rate chart



SERIES-VARIOUS AQUAHALO Rain panel - Chrome

41 750 979

Product version from 4/1/2024





SERIES-VARIOUS AQUAHALO Rain panel - Chrome

41 750 979

Spare parts list

Product version from 4/1/2024

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|-------------|---------------|---------------|
| | 90 28 22 605 01-00 | distributor | 13 | 10 |