

VAIA Shower pipe with shower thermostat - Brushed Durabrass (23kt Gold)

VAIA

ST 050 307 3809



- shower with fixed riser projection 452mm
- Rain shower: PURE RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- rain shower Ø 220 mm
- rain shower with anti-scale system
- Hand shower: COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 964mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm


	Brushed Durabrass (23kt Gold)	ST 050 307 3809-28
	Chrome	ST 050 307 3809-00
	Brushed Platinum	ST 050 307 3809-06
	Platinum	ST 050 307 3809-08
	Dark Chrome	ST 050 307 3809-19
	Brushed Bronze	ST 050 307 3809-42
	Brushed Champagne (22kt Gold)	ST 050 307 3809-46
	Champagne (22kt Gold)	ST 050 307 3809-47
	Brushed Dark Platinum	ST 050 307 3809-99

Individual components of this set

You need the following components for this set


1x

28 015 979-28



1x

34 459 809-28



VAIA Shower pipe with shower thermostat - Brushed Durabrand (23kt Gold)

VAIA

























ST 050 307 3809



- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 100mm
- 1/2" connection
- WRAS 2009011

Intrinsic protection against back flow.

Fits: IMO, LULU, MADISON, MEM, TARA,
CL.1, LISSÉ, VAIA, META, CYO

	Brushed Durabrand (23kt Gold)	28 015 979-2
	Chrome	28 015 979-0
	Chrome	28 015 979-00 001
	Brushed Platinum	28 015 979-0
	Brushed Platinum	28 015 979-06 001
	Platinum	28 015 979-0
	Platinum	28 015 979-08 001
	Dark Chrome	28 015 979-1
	Dark Chrome	28 015 979-19 001
	Light Gold	28 015 979-26 001
	Light Gold	28 015 979-2
	Brushed Light Gold	28 015 979-2
	Brushed Light Gold	28 015 979-27 001
	Brushed Durabrand (23kt Gold)	28 015 979-28 001
	Matte Black	28 015 979-3
	Matte Black	28 015 979-33 001
	Brushed Bronze	28 015 979-42 001
	Brushed Bronze	28 015 979-4
	Brushed Champagne (22kt Gold)	28 015 979-46 001
	Brushed Champagne (22kt Gold)	28 015 979-4
	Champagne (22kt Gold)	28 015 979-4
	Champagne (22kt Gold)	28 015 979-47 001
	Brushed Chrome	28 015 979-9
	Brushed Chrome	28 015 979-93 001
	Brushed Dark Platinum	28 015 979-9
	Brushed Dark Platinum	28 015 979-99 001



VAIA Shower pipe with shower thermostat - Brushed Durabross (23kt Gold)

VAIA

ST 050 307 3809

:8
—
:0
—
0
—
:6
—
0
—
:8
—
0
—
9
—
0
—
0
—
:6
—
:7
—
0
—
0
—
:3
—
0
—
0
—
2
—
0
—
6
—
7
—
0
—
:3
—
0
—
9
—
0
—



VAIA Shower pipe with shower thermostat - Brushed Durabronz (23kt Gold)

VAIA

ST 050 307 3809

ST 050 307 3809

mm [inches]



Flow rate chart



Certificates

WRAS_2009

DVGW_DW-
6517DN0

LGA_29



VAIA Shower pipe with shower thermostat - Brushed Durabross (23kt Gold)

VAIA

ST 050 307 3809

Codes & Standards

DIN 4109	EN 1112	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		



VAIA Shower pipe with shower thermostat - Brushed Durabronz (23kt Gold)

VAIA

ST 050 307 3809

Product version from 4/1/2024

Parts for other
finishes can be found
here: [Chrome](#)





VAIA Shower pipe with shower thermostat - Brushed Durabrass (23kt Gold)

VAIA

ST 050 307 3809

Spare parts list

Product version from 4/1/2024





No.	Item Number	Name	Quantity used	Delivery time
	09 23 01 039 90	sieve	1	2

ST 050 307 3809



- shower with fixed riser projection 452mm
- overhead shower: rain flow
- rain shower Ø 220 mm
- rain shower with anti-scale system
- max. rainshower flow 7 l/min
- Function from: 6 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 964mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS 2204013

This article does not include a hand shower!
Intrinsic protection against back flow.

	Brushed Durabrand (23kt Gold)	34 459 809-2
	Chrome	34 459 809-0
	Brushed Platinum	34 459 809-0
	Platinum	34 459 809-0
	Dark Chrome	34 459 809-1
	Brushed Bronze	34 459 809-4
	Brushed Champagne (22kt Gold)	34 459 809-4
	Champagne (22kt Gold)	34 459 809-4
	Brushed Dark Platinum	34 459 809-9

ST 050 307 3809

:8
—
10
—
16
—
18
—
9
—
2
—
6
—
.7
—
9
—

Required miscellaneous



Hand shower - Brushed Durabross 28 016 979-28
(23kt Gold)

Required miscellaneous



SERIES-VARIOUS Hand shower - 28 029 979-28
Brushed Durabross (23kt Gold)

ST 050 307 3809



Flow rate chart



Certificates

WRAS_2204

LGA_38

Belgaqua_24-006-2

Codes & Standards

DIN 4109	EN 1717	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	90 12 05 092 20-28	shower	11	20