TARA Bath spout for wall mounting - Brushed Champagne (22kt Gold)

13 801 892 Product version from 4/1/2024

- 200mm projection
- circular normal flow
- rosette Ø 55 mm
- hole diameter 37 mm
- 1/2" connection
- max. flow 29 l/min at 3 bar flow pressure
- WRAS

Brushed Champagne (22kt Gold)	13 801 892-46
Chrome	13 801 892-00
Brushed Platinum	13 801 892-06
Platinum	13 801 892-08
Dark Chrome	13 801 892-19
Brushed Durabrass (23kt Gold)	13 801 892-28
Matte Black	13 801 892-33
Brushed Bronze	13 801 892-42
Champagne (22kt Gold)	13 801 892-47
Brushed Chrome	13 801 892-93
Brushed Dark Platinum	13 801 892-99

Recommended miscellaneous

Concealed wall elbow - 35 085 970 90
●max. recess depth mm
●min. recess depth mm

TARA Bath spout for wall mounting - Brushed Champagne (22kt Gold)

13 801 892 Product version from 4/1/2024

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations

Ü-Zeichen

13 801 892 Product version from 4/1/2024

Certificates

LGA_18	WRAS_240602

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com

TARA Bath spout for wall mounting - Brushed Champagne (22kt Gold)

13 801 892 Product version from 4/1/2024



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 27 89 009-46	rosette	1	30
2	90 14 10 025 00 90	seal	2	2
3	04 28 22 198 20-46	spout	1	30
4	90 23 01 024 00-46	aerator	1	30

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com