

LULU Hand shower set with individual rosettes - Chrome

LULU

27 808 710

Product version up to 6/3/2020



- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- 3/8" shower outlet
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection





Technical dimensions:

- rosette for wall elbow 78 x 55mm
- rosette for shower holder 78 x 55mm
- 1/2" wall elbow

Notes:

- WRAS

Intrinsic protection against back flow.

	Chrome	27 808 710-00
	Chrome	27 808 710-00 0010
	Brushed Platinum	27 808 710-06
	Brushed Platinum	27 808 710-06 0010

Recommended miscellaneous



- Concealed wall elbow -

35 085 970 90


  - max. recess depth 163 mm
  - min. recess depth 90 mm

## LULU Hand shower set with individual rosettes - Chrome


LULU

27 808 710 Product version up to 6/3/2020

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## LULU Hand shower set with individual rosettes - Chrome

---

LULU


27 808 710 Product version up to 6/3/2020

### Certificates and sustainability

---

LGA\_29

Belgaqua\_21-383-2 WRAS\_2209



**Spare parts list**

No.	Item Number	Name	Quantity used	Delivery time
3	90 30 02 072 00-00	Metal shower hose 1/2" x 3/8" x 1250 mm - Chrome	1.00	10
2	28 050 710-00	LULU Wall bracket - Chrome	1.00	-
Spare part can no longer be ordered, please order the replacement item				
1	28 450 710-00	LULU Wall elbow - Chrome	1.00	10
4	90 12 11 140 40-00	shower	1.00	10