







28 450 410



- 1/2" shower outlet
- rosette Ø 55 mm
- 1/2" connection
- WRAS 1809019

Intrinsic protection against back flow.

| | | |
|---|-------------------------------|---------------|
|  | Platinum | 28 450 410-08 |
|  | Chrome | 28 450 410-00 |
|  | Brushed Platinum | 28 450 410-06 |
|  | Durabrand (23kt Gold) | 28 450 410-09 |
|  | Brushed Durabrand (23kt Gold) | 28 450 410-28 |
|  | Brushed Dark Platinum | 28 450 410-99 |


Recommended miscellaneous



- Concealed wall elbow -** 35 085 970 90
- max. recess depth 163 mm
 - min. recess depth 90 mm

28 450 410

mm [inches]




Flow rate chart



Certificates

Belgaqua_21-381- WRAS_1809019.
27_7.

28 450 410



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|---------------------|---------------|---------------|
| 1 | 09 27 35 003-08 | rosette | 1 | 40 |
| 2 | 90 14 10 026 00 90 | seal | 1 | 2 |
| 3 | 09 11 03 121-08 | connection | 1 | 40 |
| 4 | 90 23 01 141 00 90 | back-flow preventer | 1 | 2 |