










VAIA Wall elbow - Dark Chrome
VAIA

28 450 809
Product version from 7/6/2018



- 3/8" shower outlet
 - rosette Ø 60 mm
 - 1/2" connection
 - WRAS

Intrinsic protection against back flow.

| | | |
|---|-------------------------------|---------------|
|  | Dark Chrome | 28 450 809-19 |
|  | Chrome | 28 450 809-00 |
|  | Brushed Platinum | 28 450 809-06 |
|  | Platinum | 28 450 809-08 |
|  | Brushed Durabrass (23kt Gold) | 28 450 809-28 |
|  | Brushed Bronze | 28 450 809-42 |
|  | Brushed Champagne (22kt Gold) | 28 450 809-46 |
|  | Champagne (22kt Gold) | 28 450 809-47 |
|  | Brushed Dark Platinum | 28 450 809-99 |

Recommended miscellaneous



- Concealed wall elbow -**
35 085 970 90

 - max. recess depth 163 mm
 - min. recess depth 90 mm

mm [inches]



Flow rate chart



Codes & Standards

| | | | |
|----------------|------|---------|---------------------------|
| ASME A112.18.1 | cUPC | EN 1717 | Scottish Water Byelaws |
|----------------|------|---------|---------------------------|

UK Water Supply
Regulations



VAIA Wall elbow - Dark Chrome

VAIA

28 450 809 Product version from 7/6/2018

Certificates and sustainability

Belgaqua_22_280_2 IAPMO_4976

WRAS_240702

