

VAIA Wall-mounted valve cold water without pop-up waste - Brushed Dark Brass

VAIA

| | | | |
|------------|--|---|--|
| 30 010 809 | Product version from 4/1/2025 | | |
| | <ul style="list-style-type: none"> • 151mm projection • fixed spout • adapter with male thread 3/4" • hole diameter 35 mm • rosette Ø 60 mm • max. flow 5.7 l/min • lead-free • This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB • WRAS |  | <div>Brushed Dark Brass</div> <div>30 010 809-39</div> |
| | |  | <div>Chrome</div> <div>30 010 809-00</div> |
| | |  | <div>Brushed Platinum</div> <div>30 010 809-06</div> |
| | |  | <div>Platinum</div> <div>30 010 809-08</div> |
| | |  | <div>Dark Chrome</div> <div>30 010 809-19</div> |
| | |  | <div>Brushed Durabronze (23kt Gold)</div> <div>30 010 809-28</div> |
| | |  | <div>Brushed Bronze</div> <div>30 010 809-42</div> |
| | |  | <div>Brushed Champagne (22kt Gold)</div> <div>30 010 809-46</div> |
| | |  | <div>Champagne (22kt Gold)</div> <div>30 010 809-47</div> |
| | |  | <div>Brushed Dark Platinum</div> <div>30 010 809-99</div> |

VAIA Wall-mounted valve cold water without pop-up waste - Brushed Dark Brass

VAIA

30 010 809 Product version from 4/1/2025
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



VAIA Wall-mounted valve cold water without pop-up waste - Brushed Dark Brass

VAIA

30 010 809 Product version from 4/1/2025

Certificates and sustainability

LGA_18


WRAS_240102

VAIA Wall-mounted valve cold water without pop-up waste - Brushed Dark Brass

VAIA

30 010 809 Product version from 4/1/2025

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|--------|---------------|---------------|
| 3 | 90 28 22 381 00-39 | spout | 1.00 | 30 |
| 2 | 90 90 03 175 00 90 | top | 1.00 | 2 |
| 1 | 90 20 66 025 00-39 | handle | 1.00 | 30 |
| 4 | 90 14 10 060 00 90 | seal | 1.00 | 2 |
| 5 | 09 24 03 269 90 | nipple | 1.00 | 2 |