

META Single-lever shower mixer for wall mounting - Brushed Chrome

META

33 300 660
Product version from 7/1/2023



- 3/8" shower outlet
 - slide-on rosettes Ø 60 mm
 - 1/2" connection
 - gauge 150 mm - 15 mm
 - WRAS

Intrinsic protection against back flow.

	Brushed Chrome	33 300 660-93
	Chrome	33 300 660-00
	Brushed Platinum	33 300 660-06
	Dark Chrome	33 300 660-19
	Light Gold	33 300 660-26
	Brushed Light Gold	33 300 660-27
	Matte Black	33 300 660-33
	Brushed Dark Brass	33 300 660-39
	Brushed Bronze	33 300 660-42
	Brushed Champagne (22kt Gold)	33 300 660-46
	Champagne (22kt Gold)	33 300 660-47
	Brushed Dark Platinum	33 300 660-99

33 300 660 Product version from 7/1/2023

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	EN 1717	EN 817	ISO 3822
----------	---------	--------	----------

Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen
---------------------------	--------------------------------	-----------



META Single-lever shower mixer for wall mounting - Brushed Chrome

META

33 300 660 Product version from 7/1/2023

Certificates and sustainability

LGA_29	Belgaqua_21-025-2	DVGW_DW-6506DN0	WRAS_2205
--------	-------------------	-----------------	-----------

META Single-lever shower mixer for wall mounting - Brushed Chrome

META

33 300 660 Product version from 7/1/2023

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	11 09 14 10 008 90	seal	2.00	2
	2 09 28 30 032-93	cover	1.00	20
	16 09 24 03 115 20-93	nipple	1.00	20
	6 90 15 05 064 00 90	cartridge	1.00	2
	13 09 18 40 059-93	sleeve	2.00	20
	3 09 14 10 102 90	seal	1.00	2
	7 04 11 04 030 00 90	connection	2.00	2
	4 09 24 04 296 90	nut	1.00	2
	12 09 23 10 048-93	nut	2.00	20
	1 90 20 66 007 00-93	handle	1.00	20
	9 09 14 10 119 90	seal	2.00	2
	8 09 27 62 004-93	rosette	2.00	20
	17 90 21 02 069 00-93	cover	1.00	20
	10 09 29 05 005 20 90	nipple	2.00	60
	14 90 23 01 141 00 90	back-flow preventer	1.00	2
	5 90 28 10 148 00 90	accessories	1.00	2
	15 90 14 10 032 00 90	seal	1.00	2