

TARA BAR TAP Single-lever mixer - Matte Black

TARA

33 805 888 Product version from 1/1/2025



- 166mm projection
- pivotable spout 360°
- laminar flow
- height of mixer 302 mm
- height up to laminar flow regulator 185 mm
- hole diameter 35 mm
- max. flow 8.3 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

| | | |
|---|-------------------------------|---------------|
|  | Matte Black | 33 805 888-33 |
|  | Chrome | 33 805 888-00 |
|  | Brushed Platinum | 33 805 888-06 |
|  | Platinum | 33 805 888-08 |
|  | Durabrass (23kt Gold) | 33 805 888-09 |
|  | Dark Chrome | 33 805 888-19 |
|  | Brushed Durabrass (23kt Gold) | 33 805 888-28 |
|  | Brushed Bronze | 33 805 888-42 |
|  | Brushed Champagne (22kt Gold) | 33 805 888-46 |
|  | Champagne (22kt Gold) | 33 805 888-47 |
|  | Brushed Chrome | 33 805 888-93 |
|  | Brushed Dark Platinum | 33 805 888-99 |

Recommended miscellaneous

Strainer waste with control handle 10 710 970-33
- Matte Black





Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



TARA BAR TAP Single-lever mixer - Matte Black

TARA

33 805 888 Product version from 1/1/2025

Certificates and sustainability

LGA_38

WRAS_240102

33 805 888 Product version from 1/1/2025

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 6 | 90 20 66 003 00-33 | handle | 1.00 | 30 |
| 2 | 09 31 11 008 90 | pin | 1.00 | 2 |
| 8 | 09 14 10 118 90 | seal | 1.00 | 2 |
| 3 | 90 15 05 042 00 90 | cartridge | 1.00 | 2 |
| 4 | 09 24 04 266 90 | nut | 1.00 | 2 |
| 10 | 09 31 11 012 90 | pin | 1.00 | 2 |
| 11 | 04 30 11 038 64 90 | fixing set | 1.00 | 2 |
| 5 | 09 28 30 021-33 | cover | 1.00 | 30 |
| 9 | 09 27 85 001-33 | rosette | 1.00 | 2 |
| 1 | 90 28 22 393 00-33 | spout | 1.00 | 30 |
| 7 | 04 30 04 105 00 90 | hose | 2.00 | 2 |