

## Showerpipe with shower thermostat without hand shower - Champagne (22kt Gold)

---

34 462 892 Product version from 4/1/2024




- shower with fixed riser projection 452mm
- overhead shower: rain flow
- rain shower Ø 300 mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 963mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm
- quick clearing

This article does not include a hand shower!


Intrinsic protection against back flow.

**Showerpipe with shower thermostat without hand shower - Champagne (22kt Gold)**

34 462 892 Product version from 4/1/2024  
mm [inches]  
M 1:10



**Flow rate chart**



**Codes & Standards**

DIN 4109

EN 1717

ISO 3822

Ü-Zeichen



## Showerpipe with shower thermostat without hand shower - Champagne (22kt Gold)

---

34 462 892 Product version from 4/1/2024


Certificates

---

Belgaqua\_24-006-2 LGA\_38

**Showerpipe with shower thermostat without hand shower - Champagne (22kt Gold)**

34 462 892 Product version from 4/1/2024



**Spare parts list**

No.	Item Number	Name	Quantity used	Delivery time
1	04 12 05 091 00-47	shower	1	30
2	04 28 22 346 00-47	pipe	1	60
3	09 14 10 008 90	seal	1	2
4	90 17 11 150 00-47	holder	1	30
5	28 322 970-47	Metal shower hose 1/2" x 3/8" x 1750 mm - Champagne (22kt Gold)	1	30
6	12 570 970-47	Slide unit - Champagne (22kt Gold)	1	30
7	90 28 22 349 00-47	pipe	1	30
8	04 17 01 250 00-47	connection	1	60
9	90 17 33 015 00-47	handle	1	30
10	90 14 20 026 00 90	seal	1	2