

Concealed single-lever mixer with cover plate with integrated shower connection - Chrome

TARA

36 045 660 Product version from 5/15/2020



- cover plate Ø 78 mm
- WRAS

Intrinsic protection against back flow.


Article cannot be extended, please check the depth of the installation location!

Intrinsic protection against back flow.

Article cannot be extended, please check the depth of the installation location!

Fits: TARA, META


Required miscellaneous

	Concealed wall mounting -	35 003 970 90
	•max. recess depth mm	
	•min. recess depth mm	


Concealed single-lever mixer with cover plate with integrated shower connection - Chrome

TARA

36 045 660 Product version from 5/15/2020
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



Concealed single-lever mixer with cover plate with integrated shower connection - Chrome

TARA

36 045 660 Product version from 5/15/2020

Certificates


Belgaqua_21-025-2 LGA_29

WRAS_2101

Concealed single-lever mixer with cover plate with integrated shower connection - Chrome

TARA

36 045 660 Product version from 5/15/2020



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 24 77 002 90	nut	1	2
2	90 31 11 030 00 90	pin	3	2
3	09 14 10 139 90	seal	1	2
4	09 14 10 111 90	seal	2	2
5	09 18 40 215-00	sleeve	1	10
6	09 14 10 518 90	seal	1	60
7	09 27 66 000-00	rosette	1	10
8	90 15 05 044 00 90	cartridge	1	2
9	09 24 04 266 90	nut	1	2
10	09 14 10 120 90	seal	1	2
11	09 28 30 041-00	cover	1	10
12	90 20 66 006 00-00	handle	1	10
13	09 31 11 144 90	pin	1	2
14	09 23 01 131 90	back-flow preventer	1	2
15	09 14 10 213 90	seal	1	2
16	09 24 03 281-00	nipple	1	10
17	90 21 02 069 00-00	cover	1	10