

Concealed single-lever mixer with cover plate with integrated shower connection - Chrome

IMO

36 045 970 Product version from 5/15/2020



- cover plate 80 x 80 mm
- Intrinsic protection against back flow.**


Article cannot be extended, please check the depth of the installation location!

Intrinsic protection against back flow.

Article cannot be extended, please check the depth of the installation location!

Fits: IMO, MEM, CL.1, CYO


Required miscellaneous

- | | | |
|---|----------------------------------|---------------|
|  | Concealed wall mounting - | 35 003 970 90 |
| | •max. recess depth mm | |
| | •min. recess depth mm | |

Concealed single-lever mixer with cover plate with integrated shower connection - Chrome

IMO

36 045 970 Product version from 5/15/2020
mm [inches]



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Ü-Zeichen


Certificates

Belgaqua_21-025-2 LGA_29

Concealed single-lever mixer with cover plate with integrated shower connection - Chrome

IMO

36 045 970 Product version from 5/15/2020



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 24 77 002 90	nut	1	2
2	90 31 11 030 00 90	pin	3	2
3	09 14 10 139 90	seal	1	2
4	09 14 10 111 90	seal	1	2
5	09 18 40 215-00	sleeve	1	10
6	09 14 10 518 90	seal	1	60
7	09 27 97 042-00	rosette	1	10
8	90 15 05 044 00 90	cartridge	1	2
9	09 24 04 266 90	nut	1	2
10	09 14 10 120 90	seal	1	2
11	09 28 30 041-00	cover	1	10
12	09 20 97 063-00	handle	1	10
13	90 31 11 063 00 90	pin	1	2
14	90 31 20 109 00 90	plug	1	2
15	09 23 01 131 90	back-flow preventer	1	2
16	09 14 10 213 90	seal	1	2
17	09 24 03 281-00	nipple	1	10
18	90 21 02 069 00-00	cover	1	10