

TARA Concealed two-way diverter - Brushed Dark Platinum

TARA

36 200 882    Product version from 4/1/2022



- rotary diverter
- rosette 60 mm
- WRAS

	Brushed Dark Platinum	36 200 882-99
	Chrome	36 200 882-00
	Brushed Platinum	36 200 882-06
	Platinum	36 200 882-08
	Dark Chrome	36 200 882-19
	Brushed Durabronze (23kt Gold)	36 200 882-28
	Matte Black	36 200 882-33
	Brushed Dark Brass	36 200 882-39
	Brushed Bronze	36 200 882-42
	Brushed Champagne (22kt Gold)	36 200 882-46
	Champagne (22kt Gold)	36 200 882-47
	Brushed Chrome	36 200 882-93

Required miscellaneous




- Concealed two-way diverter -


35 202 970 90

  - max. recess depth 160 mm
  - min. recess depth 85 mm

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
----------	----------	---------------------------	--------------------------------

### Ü-Zeichen



## TARA Concealed two-way diverter - Brushed Dark Platinum

---

TARA

36 200 882 Product version from 4/1/2022

### Certificates and sustainability

---

LGA\_38

WRAS\_2307



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	10 90 12 12 002 00 90	fixing cap	1.00	2
	15 90 12 12 219 00-99	base	1.00	20
	11 09 21 02 144-99	sleeve	1.00	20
	1 90 90 03 304 10 90	diverter	1.00	2
	12 04 20 88 052 10-99	handle	1.00	60
	4 09 27 89 118-99	rosette	1.00	20
	16 04 18 20 022 00-99	angle	1.00	20
	17 09 20 88 052-99	handle	1.00	20
	7 09 24 05 002 90	nipple	1.00	2
	3 90 21 02 181 00 90	disc	1.00	2
	5 09 31 11 294 90	pin	1.00	2
	8 09 29 06 022 90	spindle	1.00	2
	2 90 23 30 023 00 90	nut	1.00	2
	9 90 14 10 060 00 90	seal	1.00	2
	6 90 14 15 020 03 90	ring	1.00	2
	13 90 30 30 075 00 90	screw	1.00	2
	14 90 30 11 029 00 90	disc	1.00	2