







**MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed Dark Platinum**

MADISON

36 503 977



- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS 2011026

	Brushed Dark Platinum	36 503 977-99
	Chrome	36 503 977-00
	Brushed Platinum	36 503 977-06
	Platinum	36 503 977-08
	Durabass (23kt Gold)	36 503 977-09
	Brushed Durabass (23kt Gold)	36 503 977-28

**Required miscellaneous**




- xTOOL Concealed thermostat module without volume control -** 35 503 970 90
- max. recess depth 110 mm
  - min. recess depth 85 mm




MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed Dark Platinum

MADISON

36 503 977  
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1111

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed  
Dark Platinum

---

MADISON

36 503 977

Certificates

---

LGA\_29

LGA\_29

DVGW\_DW-  
6512DN0

WRAS\_2011


36 503 977

Product version up to 2/2/2021

Product version from 5/11/2021 to 11/25/2021

Product version from 1/1/2022

**Product version from 6/30/2022 to 5/11/2021**





MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed  
Dark Platinum

---

MADISON

36 503 977

Spare parts list

Product version up to 2/2/2021

Product version from 5/11/2021 to 11/25/2021

Product version from 1/1/2022

**Product version from 6/30/2022 to 5/11/2021**

No.	Item Number	Name	Quantity used	Delivery time
	90 15 02 063 00 90	cartridge	10	2

---