







36 607 361



- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve
- 3x porcelain insert: HOT, COLD and NEUTRAL
- WRAS


	Platinum	36 607 361-08
	Chrome	36 607 361-00
	Brushed Platinum	36 607 361-06
	Durabass (23kt Gold)	36 607 361-09
	Brushed Durabass (23kt Gold)	36 607 361-28
	Brushed Dark Platinum	36 607 361-99

**Required miscellaneous**



**Wall valve 1/2" -** 35 607 970 90  
 •max. recess depth mm  
 •min. recess depth mm

36 607 361




Codes & Standards

DIN 4109	EN 1111	EN 200	ISO 3822
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	

Certificates

DVGW_DW-6501DN0	WRAS_2011	LGA_29	WRAS_2010	DVGW_DW-6512DN0
LGA_29				

36 607 361



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 90 03 143 00 90	top	1	2
2	09 23 10 125-00	nut	1	10
3	90 14 10 063 00 90	seal	1	2
4	09 27 36 102-08	rosette	1	40
5	90 30 30 075 00 90	screw	1	2
6	09 30 11 194 90	disc	1	2
7	09 18 30 007-08	sleeve	1	60
8	90 28 10 030 00 90	ring	1	2
9	09 12 12 064-08	base	1	60
10	90 14 15 021 00 90	ring	1	2
11	09 21 02 161-08	cover	1	40
12	04 20 36 100 02-08	handle	1	40
13	04 20 36 100 00-08	handle ( cold )	1	40
14	04 20 36 100 01-08	handle ( hot )	1	40
15	09 20 36 005-08	handle	1	40
16	09 26 01 016 90	accessories	1	2
17	09 26 01 010 90	accessories	1	2
18	09 26 01 011 90	accessories	1	2