

SYMETRICS Wall valve anti-clockwise closing 1/2" - Platinum

SYMETRICS

36 607 985

Product version from 6/1/2024



- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve
- WRAS

|   |                                  |               |
|---|----------------------------------|---------------|
|  | Platinum                         | 36 607 985-08 |
|  | Chrome                           | 36 607 985-00 |
|  | Brushed Platinum                 | 36 607 985-06 |
|  | Dark Chrome                      | 36 607 985-19 |
|  | Brushed Light Gold               | 36 607 985-27 |
|  | Brushed Durabrass<br>(23kt Gold) | 36 607 985-28 |
|  | Brushed Chrome                   | 36 607 985-93 |
|  | Brushed Dark<br>Platinum         | 36 607 985-99 |

Required miscellaneous



- Wall valve 1/2" -

•max. recess depth 145 mm

•min. recess depth 75 mm

35 607 970 90

mm [inches]



| Codes & Standards |          |                        |                             |
|-------------------|----------|------------------------|-----------------------------|
| ASME A112.18.1    | cUPC     | DIN 4109               | EN 1111                     |
| EN 200            | ISO 3822 | Scottish Water Byelaws | UK Water Supply Regulations |
| Ü-Zeichen         |          |                        |                             |

| Certificates and sustainability |              |        |           |                 |
|---------------------------------|--------------|--------|-----------|-----------------|
| DVGW_DW-6501DN0                 | WRAS_2011    | LGA_29 | WRAS_2010 | DVGW_DW-6512DN0 |
| LGA_29                          | IAPMO_4976 ( |        |           |                 |



## Spare parts list

| No. | Item Number          | Name       | Quantity used | Delivery time |
|-----|----------------------|------------|---------------|---------------|
|     | 7 09 21 02 151 90    | sleeve     | 1.00          | 2             |
|     | 4 09 14 10 017 90    | seal       | 1.00          | 2             |
|     | 6 09 27 98 014-08    | rosette    | 1.00          | 40            |
|     | 8 90 90 03 202 00 90 | top        | 1.00          | 2             |
|     | 3 09 12 12 043-08    | base       | 1.00          | 40            |
|     | 2 09 12 12 005 90    | fixing cap | 1.00          | 2             |
|     | 1 09 20 98 002-08    | handle     | 1.00          | 40            |
|     | 5 90 31 11 004 00 90 | pin        | 1.00          | 2             |