

SYMETRICS eSET Touchfree Basin mixer without pop-up waste without temperature setting - Chrome

ST 010 107 5980



- 165mm projection
 - fixed spout
 - circular, air-enriched flow
 - height of mixer 230 mm
 - height up to aerator 205 mm
 - hole diameter 35 mm
 - 2x screw-in M 10 x 1 pressure hose, leak-tested
 - 1/2" connection
 - max. flow 7 l/min
 - lead-free
 - automatic hygiene flush
 - suitable for thermal disinfection
 - adjustable follow-up time
 - high-frequency sensors with self-calibration
 - magnetic valve
 - 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- Cannot be combined with basins in conducting materials (e.g. steel, river stone).**
Cannot be combined with basins that have a closing drain.
ATTENTION: Separate terms and conditions for electronic articles are applicable.

Individual components of this set

You need the following components for this set



1x 42 766 970 90



1x 13 721 980-00



SYMETRICS eSET Touchfree Basin mixer without pop-up waste without temperature setting - Chrome

ST 010 107 5980

SYMETRICS eSET Touchfree Basin mixer without pop-up waste without temperature setting - Chrome

ST 010 107 5980



Fits: IMO, LULU, MADISON, MEM, TARA, CL.1, LISSÉ, VAIA, META, CYO

- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone). Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Required miscellaneous



eSET Touchfree Basin mixer without temperature setting for combining with wall-mounted fittings -

- min. recess depth 90 mm
- max. recess depth 125 mm

35 743 970 90

Required miscellaneous



eSET Touchfree Basin mixer without temperature setting for combining with free-standing fittings -

35 742 970 90


Recommended miscellaneous

Extension for Touchfree 500 mm - 12 765 970 90



SYMETRICS eSET Touchfree Basin mixer without pop-up waste without temperature setting - Chrome

ST 010 107 5080
mm [inches]




Certificates

| | | | | |
|------------|---------------|------------|---|---|
| LGA_29120. | WRAS_1906116. | IAPMO_EGS. | CE000001_eSet_Tou chfree_20171206_D E_signed. | CE000002_eSet_Tou chfree_20171206_E N_signed. |
| LGA_29119. | | | | |

SYMETRICS eSET Touchfree Basin mixer without pop-up waste without temperature setting - Chrome

ST 010 107 5980



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------------------------|---------------|---------------|
| 1 | 90 10 01 177 00 90 | electronic accessories | 1 | 2 |
| 2 | 90 17 20 199 00 90 | holder | 1 | 2 |
| 3 | 04 30 50 079 00 90 | valve | 1 | 2 |
| 4 | 04 10 01 050 00 90 | power supply | 1 | 60 |
| 5 | 04 30 31 024 01 90 | fixing set | 1 | 2 |

SYMETRICS eSET Touchfree Basin mixer without pop-up waste without temperature setting - Chrome

ST 010 107 5980



- 165mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 230 mm
- height up to aerator 205 mm
- hole diameter 35 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 7 l/min
- lead-free




SYMETRICS eSET Touchfree Basin mixer without pop-up waste without temperature setting - Chrome


ST 010 107 5980

SYMETRICS eSET Touchfree Basin mixer without pop-up waste without temperature setting - Chrome

ST 010 107 5080
mm [inches]



Flow rate chart



Certificates

ETA_18519.

LGA_18651.

SYMETRICS eSET Touchfree Basin mixer without pop-up waste without temperature setting - Chrome

ST 010 107 5980

