

ST 060 100 3660



- cover plate Ø 124 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

|  |                               |                    |
|--|-------------------------------|--------------------|
|  | Chrome                        | ST 060 100 3660-00 |
|  | Brushed Platinum              | ST 060 100 3660-06 |
|  | Platinum                      | ST 060 100 3660-08 |
|  | Dark Chrome                   | ST 060 100 3660-19 |
|  | Light Gold                    | ST 060 100 3660-26 |
|  | Brushed Light Gold            | ST 060 100 3660-27 |
|  | Matte Black                   | ST 060 100 3660-33 |
|  | Brushed Bronze                | ST 060 100 3660-42 |
|  | Brushed Champagne (22kt Gold) | ST 060 100 3660-46 |
|  | Champagne (22kt Gold)         | ST 060 100 3660-47 |
|  | Brushed Chrome                | ST 060 100 3660-93 |
|  | Brushed Dark Platinum         | ST 060 100 3660-99 |

**Individual components of this set**

You need the following components for this set



1x 36 503 979-00
















3x 36 607 660-00



ST 060 100 3660



- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

|  |                               |               |
|--|-------------------------------|---------------|
|    | Chrome                        | 36 503 979-00 |
|    | Brushed Platinum              | 36 503 979-06 |
|    | Platinum                      | 36 503 979-08 |
|    | Durabress (23kt Gold)         | 36 503 979-09 |
|    | Dark Chrome                   | 36 503 979-19 |
|    | Light Gold                    | 36 503 979-26 |
|    | Brushed Light Gold            | 36 503 979-27 |
|    | Brushed Durabress (23kt Gold) | 36 503 979-28 |
|    | Matte Black                   | 36 503 979-33 |
|    | Brushed Bronze                | 36 503 979-42 |
|    | Brushed Champagne (22kt Gold) | 36 503 979-46 |
|  | Champagne (22kt Gold)         | 36 503 979-47 |
|  | Brushed Chrome                | 36 503 979-93 |
|  | Brushed Dark Platinum         | 36 503 979-99 |


**Required miscellaneous**




- xTOOL Concealed thermostat module without volume control -** 35 503 970 90
- max. recess depth 110 mm
  - min. recess depth 85 mm

ST 060 100 3660

mm [inches]



**Flow rate chart**



**Certificates**


WRAS\_2011026.

DVGW\_DW-  
6512DN0706.

LGA\_29930.

LGA\_29932.

ST 060 100 3660















**Spare parts list**

| No. | Item Number        | Name              | Quantity used | Delivery time |
|-----|--------------------|-------------------|---------------|---------------|
| 1   | 90 15 02 063 00 90 | cartridge         | 1             | 2             |
| 2   | 90 11 01 196 00 90 | base              | 1             | 2             |
| 3   | 09 11 02 537-00    | cover             | 1             | 10            |
| 4   | 09 31 11 048 90    | pin               | 1             | 2             |
| 5   | 90 14 10 049 00 90 | seal              | 1             | 2             |
| 6   | 90 21 02 112 00-00 | sleeve            | 1             | 10            |
| 7   | 90 17 33 004 00-00 | handle            | 1             | 10            |
| 8   | 90 21 33 011 00-13 | handle            | 1             | 2             |
| 9   | 90 16 02 027 00 90 | spring            | 1             | 2             |
| 10  | 90 30 30 136 00 90 | screw             | 1             | 2             |
| 11  | 90 31 20 049 00-00 | plug              | 1             | 10            |
| 12  | 12 178 970 90      | Extension 46 mm - | 1             | 2             |


ST 060 100 3660



- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

|   |                               |               |
|---|-------------------------------|---------------|
|   | Chrome                        | 36 607 660-00 |
|   | Brushed Platinum              | 36 607 660-06 |
|   | Platinum                      | 36 607 660-08 |
|   | Dark Chrome                   | 36 607 660-19 |
|   | Light Gold                    | 36 607 660-26 |
|   | Brushed Light Gold            | 36 607 660-27 |
|   | Matte Black                   | 36 607 660-33 |
|   | Brushed Bronze                | 36 607 660-42 |
|   | Brushed Champagne (22kt Gold) | 36 607 660-46 |
|   | Champagne (22kt Gold)         | 36 607 660-47 |
|   | Brushed Chrome                | 36 607 660-93 |
|  | Brushed Dark Platinum         | 36 607 660-99 |

**Required miscellaneous**

- |   |                           |               |
|---|---------------------------|---------------|
|  | <b>Wall valve 1/2" -</b>  | 35 607 970 90 |
|   | •min. recess depth 75 mm  |               |
|   | •max. recess depth 145 mm |               |



ST 060 100 3660

